

Uniflex plus +

... ничто не нарушает красоты интерьера
твоего дома.




Uniflexplus+ –

(50/63/75/90),

- «CLICK»;
- ;
- (100%);
- Uniflexplus+: 50, 63, 75, 90 ;
- ;
- ;
- ;
- ;

Uniflex plus +



DN 50	51	41
DN 63	64	54
DN 75	76	64
DN 90	91	78

		DN 50			DN 63			DN 75			DN 90		
		2 /	2,5 /	3 /	2 /	2,5 /	3 /	2 /	2,5 /	3 /	2 /	2,5 /	3 /
O	O	10 ^{3/}	12,5 ^{3/}	15 ^{3/}	15 ^{3/}	20 ^{3/}	25 ^{3/}	22 ^{3/}	28 ^{3/}	34 ^{3/}	34 ^{3/}	42 ^{3/}	51 ^{3/}
	OO	20 ^{3/}	25 ^{3/}	30 ^{3/}	30 ^{3/}	40 ^{3/}	50 ^{3/}	44 ^{3/}	56 ^{3/}	68 ^{3/}	68 ^{3/}	84 ^{3/}	102 ^{3/}
	OOO	30 ^{3/}	37,5 ^{3/}	45 ^{3/}	45 ^{3/}	60 ^{3/}	75 ^{3/}						
~	2	7,6	10,0	12,6	4,0	5,6	8,4	2,6	4,0	6,0	2,6	4,0	5,4
	4	15,2	20,0	25,2	8,0	11,2	16,8	5,2	8,0	12,0	5,2	8,0	10,8
	6	22,8	30,0	37,8	12,0	16,8	25,2	7,8	12,0	18,0	7,8	12,0	16,2
	8	30,4	40,0	50,4	16,0	22,4	33,6	10,4	16,0	24,0	10,4	16,0	21,6
	10	38	50,0	63,0	20,0	28,0	42,0	13,0	20,0	30,0	13,0	20,0	27,0
	12	45,6	60,0		24,0	33,6	50,4	15,6	24,0	36,0	15,6	24,0	32,4
	14	53,2			28,0	39,2	58,8	18,2	28,0	42,0	18,2	28,0	37,8
	16	60,8			32,0	44,8		20,8	32,0	48,0	20,8	32,0	43,2
18				36,0	50,4		23,4	36,0	54,0	23,4	36,0	48,6	

63
75
90



: -20° 60°

: 8 / 2



EN ISO9969.

: E

EN 13501-1.

: 50

:

TVG

Uniflex plus+

180/18x63

18-

63

- 80

450 3/

2



25	1	1	1	1
50	2	2	2	1
75	3	3	3	2
100	4	4	4	2
125	5	4	5	3
150	6	5	6	3
175	7	6	7	4
200	8	7	8	4
225	9	7	9	4
250	10	8	10	5
275	11	9	11	5
300	12	10	12	6
325	13	11	13	6
350	14	11	14	7
375	15	12	15	7
400	16	13	16	8
425	17	14	17	8
450	18	14	18	8

Isocomplus+,

125, 160,

180



ABTEKсервис
www.avtek.by

TVG 180/12x63

Uniflex plus+

12-

∅63

- 80 ,

300 ^{3/} .

2

:



∅, ^{3/}	()	,	()	,
25	1	1	1	1
50	2	2	2	2
75	3	3	3	3
100	4	4	4	4
125	5	5	5	5
150	6	6	6	6
175	7	7	7	7
200	8	8	8	8
225	9	9	9	9
250	10	10	10	10
275	11	11	11	11
300	12	11	12	11

∅180 .

Isocomplus+,

∅125, ∅160,

Uniflex plus+



XVC-3x63

∅63

() 3-

250

()

- 80 ,

75 ^{3/} .

Uniflex plus+



XVC

125 .

∅, ^{3/}	()	,	()	,
25	1	3	1	2
50	2	5	2	4
75	3	6,5	3	5,5

MCI-3x63

3-
 ∅63
 - 93 , 75 3/4 .
 MCI) () (MCV), () .


Uniflex^{plus+}



PCB-3x63

3-
 ∅63
 - 583 , 75 3/4 .
 PCB-3x63

Uniflex^{plus+}



VCB-3x63

3-
 ∅63 c
 - 417 , 75 3/4 .
 VCB-3x63

Uniflex^{plus+}



AKM-63

Uniflexplus+ 63.

Uniflex^{plus+}



ISO-63

Uniflexplus+,

Uniflex^{plus+}



-63

Uniflex^{plus+}



1 .

:

-63-1 – ;

-63-2 – .

SG-63

Uniflex^{plus+}



Uniflexplus+ 63 90°.

:

SG-63-1 – ;

SG-63-3 – .

KS-63

Uniflex^{plus+}

Uniflexplus+ 63.

2



!

Isocomplus+

Isocomplus+



Isocomplus+

8dB
)

— — ;
— — ;
— — ;
— — ;
— — , 100%

Isocomplus+



() ;
: 2 - , 1-
: 0,040 / .
40° .

Isocomplus+

TVG/TVGS.

Isocomplus+ 200: 200 , 174 , 2000 ;
Isocomplus+ 160: 160 , 125 , 2000 .

90°

45°

Isocomplus+




Isocomplus+




Isocomplus+



Ø160 mm



Ø200 mm



Isocomplus+ Ø160mm



Isocomplus+ Ø200mm



(:).



(:).